



# Pigments for Inks

*See The Difference We Make*

## 2922

Naphthol Red PR.22  
Pigment Red 22

Yellow Shade Naphthol for  
Solvent-Based Inks

Excellent Alkali and Soap Resistance

Very Good Rheology




### Applications

- Solvent-based Inks ●
- Water-based Inks ●
- Lithographic Inks ●

RECOMMENDATIONS: ● Frequently Used ○ Limited Use ○ Not Normally Used

**ISO 9001**  
**ISO 14001**

[pigments.com](http://pigments.com)  
[sales@pigments.com](mailto:sales@pigments.com)





# 2922

## Naphthol Red PR.22 Pigment Red 22

CHEMICAL CLASS  
NAPHTHOL RED  
C.A.S. # 448-95-9  
CONSTITUTION # 12315

### Product Overview

2922 is a yellow shade naphthol red pigment for use in flexographic printing inks, particularly nitrocellulose-based inks. High tinctorial strength, good rheology and superior alkali and soap resistance are the benefits of using 2922.

### Regulatory

- This product is on the following chemical inventories: U.S. TSCA, EU, Japan, Australia, Korea, China, Canada, Philippines, New Zealand and Taiwan. It has not been registered according to the REACH regulation.

### Key Benefits

- Yellow shade red pigment
- Excellent resistance properties
- High tinctorial strength and good rheology
- Highly transparent and glossy
- Recommended for N/C, Polyamide and Polyurethane solvent-based inks

#### PRODUCT CHARACTERISTICS

Lightfastness	
Masstone	2
Tint	2
Heat Stability	
10% pigmentation in Nitrocellulose (min@°C)	30@120 10@200

#### RESISTANCE PROPERTIES

D.B.P.	1
Ethyl Acetate	2
Ethyl Alcohol	3
Glycol	1
Linseed oil	2
MEK	1
Mineral Spirits	3
Water	4
Wax	3
Xylene	1
Acid Resistance	5
Alkali Resistance	5

LEGEND: 1 - Poor 2 - Fair 3 - Good 4 - Very Good 5 - Excellent

LIGHTFASTNESS: 1 = Poor 2-3 = Fair 4-5 = Good 6-7 = Very Good 8 = Excellent



See The Difference We Make

ISO 9001  
ISO 14001

[www.pigments.com](http://www.pigments.com)  
[sales@pigments.com](mailto:sales@pigments.com)



03/20

© 2020 DCL Corporation. The information in this handout is based on extensive testing and application experience and is believed to be a reliable indication of the results that may be expected. However, the data does not constitute a specification for the products, and is offered only as a guide to performance without guarantee or warranty of any kind. Because of the difficulties of modern color reproduction, the shades may vary slightly from the final color application. Since many variables have a strong influence on pigment performance, the users are encouraged to test each product in their own laboratory prior to use. All rights reserved.

All statements valid at time of printing. The DCL logo is a trademark of DCL Corporation.