



# TECHNICAL INFORMATION

## LANSCO #5021 Milori Blue

This product is recommended for use in nitrocellulose, polyamid, quickset, heatset, and alkyd systems where it offers high gloss, high speed dispersibility and low viscosity. Can be used for toning of heatset and quickset black inks.

Color Index Name / Number - Pigment Blue 27 / 77510

C. A. S. # - 25869-00-5

### Physical Data

Specific Gravity	1.7
Bulking Value	14.2 lbs. / gal.
Oil Absorption	45 (+/- 5%)
Moisture	4%
Water Solubles	2% max.

### Properties

stability in acid and alkali

2% H<sub>2</sub>SO<sub>4</sub>                      excellent

2% NA OH                              poor

### Heat Resistance

130<sup>0</sup>c - 30 min.                      Very good

180<sup>0</sup>c - 30 min.                      poor

### Light Fastness

full strength                              excellent

reduced shade                              good

## LANSCO COLORS

**305 WEST GRAND AVE., MONTVALE, NJ 07645 • 201-307-5995 • FAX 201-307-5855**

The information contained herein is true and accurate to the best of our knowledge, but is provided without warranty or guarantee. Since the conditions of use are beyond our control, Landers-Segal Color Co., Inc. assumes no legal responsibility for use or reliance upon the information contained herein. Landers-Segal Color Co. strongly recommends careful screening/testing before using its products in production.



# TECHNICAL INFORMATION

---

LANSCO #5021 Milori Blue  
Page 2

Bleed Resistant

litho varnish	excellent
mineral spirits	excellent
xylene	excellent
methyl ethyl ketone	excellent
paraffin	excellent
water	excellent
ethyl alcohol	excellent

**LANSCO COLORS**

**305 WEST GRAND AVE., MONTVALE, NJ 07645 • 201-307-5995 • FAX 201-307-5855**

The information contained herein is true and accurate to the best of our knowledge, but is provided without warranty or guarantee. Since the conditions of use are beyond our control, Landers-Segal Color Co., Inc. assumes no legal responsibility for use or reliance upon the information contained herein. Landers-Segal Color Co. strongly recommends careful screening/testing before using its products in production.