# DCL-2312 DIARYLIDE YELLOW, PY.12

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)
Issue date: 5/11/2018 Revision date: 3/20/2026 Supersedes: 1/15/2026 Version: 2.3

## SECTION 1 Identification

### 1.1. Product identifier

| | | |
|---|---|---|
| Product form | : | Substance |
| Trade name | : | DCL-2312 DIARYLIDE YELLOW, PY.12 |
| CAS-No. | : | 6358-85-6 |
| Product code | : | 200457 |
| Formula | : | C32H26Cl2N6O4 |

### 1.2. Other means of identification

| | | |
|---|---|---|
| Synonyms | : | Pigment Yellow 12 |
| Other means of identification | : | 2312 DIARYLIDE YELLOW 12 |
| EC-No. | : | 228-787-8 |

### 1.3. Recommended use of the chemical and restrictions on use

| | | |
|---|---|---|
| Use of the substance/mixture | : | Pigment,Coloring agents |

### 1.4. Supplier's details

**Supplier**
DCL Corporation (Pigments Services Inc)
1506 Bushy Park Road
Goose Creek, South Carolina
USA, 29445
T +1 416 791-4200
SDS@pigments.com - pigments.com

### 1.5. Emergency phone number

| | | |
|---|---|---|
| Emergency number | : | +1 800 424-9300; +1-703-527-3887 (CHEMTREC, CCN12891) 24 hours, 7 days a week |

## SECTION 2 Hazard Identification

### 2.1. Classification of the substance or mixture

**GHS US classification**

Not classified

### 2.2. Label elements

**GHS US labeling**

No labeling applicable

### 2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

### 2.4. Hazards not otherwise classified

| | | |
|---|---|---|
| Other hazards which do not result in classification | : | Unknown. |

### 2.5. Unknown acute toxicity

No additional information available

## SECTION 3 Composition/information on ingredients

### 3.1. Substances

Name : DCL-2312 DIARYLIDE YELLOW, PY.12
CAS-No. : 6358-85-6

| Name | Product identifier | % | GHS US classification |
|---|---|---|---|
| Pigment Yellow 12 | CAS-No.: 6358-85-6 | 100 | Not classified |

Full text of hazard classes and H-statements : see section 16

### 3.2. Mixtures

Not applicable

## SECTION 4 First aid measures

### 4.1. Description of necessary first-aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center/doctor/physician if you feel unwell.

Personal protection for first-aid responders. : First aid workers will be equipped with suitable personal protective equipment.

### 4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure. Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : None under normal conditions. Dust may cause irritation in skin folds or by contact in combination with tight clothing.

Symptoms/effects after eye contact : None under normal conditions. Dust from this product may cause eye irritation.

Symptoms/effects after ingestion : None under normal conditions.

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

Unsuitable extinguishing media : Carbon dioxide (CO2).

### 5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard. Minimize generation of dust which may be combustible.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Special protective equipment and precautions for fire-fighters

| | | |
|---|---|---|
| Firefighting instructions | : | Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. |
| Protection during firefighting | : | Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |

## SECTION 6 Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

| | | |
|---|---|---|
| General measures | : | Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage. Stop leak if safe to do so. |

**For non-emergency personnel**

| | | |
|---|---|---|
| Protective equipment | : | Wear recommended personal protective equipment. |
| Emergency procedures | : | Ventilate spillage area. Evacuate area. Only qualified personnel equipped with suitable protective equipment may intervene. Notify fire brigade and environmental authorities. |

**For emergency responders**

| | | |
|---|---|---|
| Protective equipment | : | Do not attempt to take action without suitable protective equipment. Wear recommended personal protective equipment. Self-contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection. |
| Emergency procedures | : | Evacuate unnecessary personnel. Stop leak if safe to do so. |
| Environmental precautions | : | Avoid release to the environment. |

### 6.2. Methods and materials for containment and cleaning up

| | | |
|---|---|---|
| For containment | : | Stop leak, if possible without risk. |
| Methods for cleaning up | : | Take up mechanically (preferable by vacuum cleaning or gentle sweeping). |
| Other information | : | Dispose of materials or solid residues at an authorized site. |

For further information refer to section 13.

## SECTION 7 Handling and storage

### 7.1. Precautions for safe handling

| | | |
|---|---|---|
| Precautions for safe handling | : | Ensure good ventilation of the work station. Wear personal protective equipment. Handle and open container with care. Keep away from sources of ignition - No smoking. Handling this product may result in electrostatic accumulation. Use proper grounding procedures. Avoid dust formation. Keep only in original container. Do not handle until all safety precautions have been read and understood. |
| Hygiene measures | : | Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
| Additional hazards when processed | : | Local exhaust and general ventilation must be adequate to meet exposure standards. |

### 7.2. Conditions for safe storage, including incompatibilities

| | | |
|---|---|---|
| Technical measures | : | Keep in a cool, well-ventilated place away from heat. |
| Storage conditions | : | Keep cool. Protect from sunlight. |
| Specific end uses | : | Restricted to professional users. |
| Packaging materials | : | Always store product in container of same material as original container. |

## SECTION 8 Exposure controls/personal protection

### 8.1. Control parameters

| DCL-2312 DIARYLIDE YELLOW, PY.12 (6358-85-6) | |
|---|---|
| **USA - OSHA - Occupational Exposure Limits** | |
| Remark (OSHA) | Nuisance Dust |

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Measure concentrations regularly, and at the time of any change occurring in conditions likely to have consequences on workers exposure. Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures, such as personal protective equipment

**Hand protection:**

| Type | Material | Permeation | Thickness (mm) | Penetration |
|---|---|---|---|---|
| Protective gloves | Nitrile rubber (NBR) | 6 (> 480 minutes) | >0.35mm | |
| Wear suitable gloves resistant to chemical penetration | | | | |

**Eye protection:**

Chemical goggles or safety glasses

| Type | Field of application | Characteristics |
|---|---|---|
| Safety glasses | Dust | With side shields |

**Skin and body protection:**

Wear suitable protective clothing

| Type |
|---|
| Plastic apron or overall |

**Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

| Device | Filter type | Condition |
|---|---|---|
| Dust mask | Type P3, Particle filter | Dust protection |

**Personal protective equipment symbol(s):**

## SECTION 9 Physical and chemical properties

### 9.1. Basic physical and chemical properties

| | | |
|---|---|---|
| Physical state | : | Solid |
| Appearance | : | Powder. |
| Color | : | Yellow |
| Odor | : | Odourless |
| Odor threshold | : | Not applicable<br>Not applicable |
| pH | : | 5.5 – 7.5 |
| Melting point | : | Not applicable |
| Freezing point | : | Not applicable |
| Boiling point | : | Not applicable |
| Flash point | : | Not applicable |
| Relative evaporation rate (butyl acetate=1) | : | Not applicable |
| Relative evaporation rate (ether=1) | : | Not applicable |
| Flammability (solid, gas) | : | Not applicable<br>Not flammable. |
| Vapor pressure | : | Not applicable |
| Vapor pressure at 50°C | : | Not applicable |
| Relative vapor density at 20°C | : | Not applicable |
| Relative density | : | No data available |
| Relative gas density | : | Not applicable |
| Solubility | : | Insoluble. |
| Partition coefficient n-octanol/water (Log Pow) | : | No data available |
| Auto-ignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| Viscosity, kinematic | : | Not applicable |
| Viscosity, dynamic | : | Not applicable |
| Explosion limits | : | Not applicable<br>Not explosive |
| Explosive properties | : | Not explosive. |
| Oxidizing properties | : | Not applicable. |
| Particle characteristics | : | No data available |

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

| | | |
|---|---|---|
| Additional information | : | See section 3 for more information about nano properties. |

## SECTION 10 Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11 Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| DCL-2312 DIARYLIDE YELLOW, PY.12 (6358-85-6) | |
|---|---|
| LD50 oral rat | > 5000 mg/kg body weight |
| LD50 dermal rat | No data available |
| LC50 Inhalation - Rat | No data available |

| Pigment Yellow 12 (6358-85-6) | |
|---|---|
| LD50 oral rat | ≥ 2228 mg/kg (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) |
| LD50 dermal rat | > 3000 mg/kg body weight (Equivalent or similar to OECD 402, Rat, Male / female, Experimental value, Dermal, 7 day(s)) |
| LC50 Inhalation - Rat | > 0.23 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (dust), 14 day(s)) |

Skin corrosion/irritation : Not classified.
pH: 5.5 – 7.5

| Pigment Yellow 12 (6358-85-6) | |
|---|---|
| pH | No data available in the literature |

Serious eye damage/irritation : Not classified
pH: 5.5 – 7.5

| Pigment Yellow 12 (6358-85-6) | |
|---|---|
| pH | No data available in the literature |

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

| Pigment Yellow 12 (6358-85-6) | |
|---|---|
| NOAEL (oral,rat,90 days) | 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |
| NOAEC (inhalation,rat,dust/mist/fume,90 days) | > 0.03 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 412 (28-Day (Subacute) Inhalation Toxicity Study, Guideline: EU Method B.8 (Subacute Inhalation Toxicity: 28-Day Study) |

Aspiration hazard : Not applicable

| DCL-2312 DIARYLIDE YELLOW, PY.12 (6358-85-6) | |
|---|---|
| Viscosity, kinematic | Not applicable |

| Pigment Yellow 12 (6358-85-6) | |
|---|---|
| Viscosity, kinematic | Not applicable (solid) |

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure. Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : None under normal conditions. Dust may cause irritation in skin folds or by contact in combination with tight clothing.

Symptoms/effects after eye contact : None under normal conditions. Dust from this product may cause eye irritation.

Symptoms/effects after ingestion : None under normal conditions.

## SECTION 12 Ecological information

### 12.1. Ecotoxicity

Hazardous to the aquatic environment, short–term (acute) : Not classified

Hazardous to the aquatic environment, long–term (chronic) : Not classified

| Pigment Yellow 12 (6358-85-6) | |
|---|---|
| LC50 - Fish [1] | > 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) |
| EC50 - Crustacea [1] | > 100 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | > 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| NOEC (chronic) | 1 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |

### 12.2. Persistence and degradability

| DCL-2312 DIARYLIDE YELLOW, PY.12 (6358-85-6) | |
|---|---|
| Persistence and degradability | Not rapidly degradable |

| Pigment Yellow 12 (6358-85-6) | |
|---|---|
| Persistence and degradability | Not readily biodegradable in water. |

### 12.3. Bioaccumulative potential

| Pigment Yellow 12 (6358-85-6) | |
|---|---|
| BCF - Fish [1] | 0 – 6.2 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Cyprinus carpio, Flow-through system, Fresh water, Experimental value) |
| Partition coefficient n-octanol/water (Log Pow) | 2.1 (Practical experience/observation, 23 °C) |
| Bioaccumulative potential | Low potential for bioaccumulation (BCF < 500). |

### 12.4. Mobility in soil

| Pigment Yellow 12 (6358-85-6) | |
|---|---|
| Surface tension | No data available (test not performed) |

| Pigment Yellow 12 (6358-85-6) | |
|---|---|
| Ecology - soil | No (test)data on mobility of the substance available. |

### 12.5. Other adverse effects

Ozone : Not classified
Fluorinated greenhouse gases : No

## SECTION 13 Disposal considerations

Regional waste regulation : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations : Disposal must be done according to official regulations.
Additional information : Do not re-use empty containers.

## SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

### 14.1. UN number

UN-No. (DOT) : Not applicable
UN-No. (TDG) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable

### 14.2. UN Proper Shipping Name

Proper Shipping Name (DOT) : Not applicable
Proper Shipping Name (TDG) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

### 14.3. Transport hazard class(es)

**DOT**
Transport hazard class(es) (DOT) : Not applicable

**TDG**
Transport hazard class(es) (TDG) : Not applicable

**IMDG**
Transport hazard class(es) (IMDG) : Not applicable

**IATA**
Transport hazard class(es) (IATA) : Not applicable

### 14.4. Packing group

Packing group (DOT) : Not applicable
Packing group (TDG) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

### 14.5. Environmental hazards

Other information : No supplementary information available.

### 14.6. Transport in bulk

Not applicable

### 14.7. Special precautions for user

**DOT**

Not applicable

**TDG**

Not applicable

**IMDG**

Not applicable

**IATA**

Not applicable

## SECTION 15 Regulatory information

### 15.1. Federal regulations

| DCL-2312 DIARYLIDE YELLOW, PY.12 (6358-85-6) | |
|---|---|
| SARA Section 311/312 Hazard Classes | Non hazardous. |

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

### 15.2. International regulations

**CANADA**

| Pigment Yellow 12 (6358-85-6) |
|---|
| Listed on the Canadian DSL (Domestic Substances List) |

**EU-Regulations**

| Pigment Yellow 12 (6358-85-6) |
|---|
| Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) |

**National regulations**

| DCL-2312 DIARYLIDE YELLOW, PY.12 (6358-85-6) |
|---|
| According to corresponding national regulations and available test data, there is no labelling requirement for this product. |

| Pigment Yellow 12 (6358-85-6) |
|---|
| Listed on INSQ (Mexican National Inventory of Chemical Substances)<br>Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)<br>Listed on KECL/KECI (Korean Existing Chemicals Inventory)<br>Listed on NZIoC (New Zealand Inventory of Chemicals)<br>Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)<br>Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) |

### 15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

## SECTION 16 Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

Revision date : 3/20/2026

Issue date : 5/11/2018

Training advice : Users of breathing apparatus must be trained.

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.




Hazard Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

| **Indication of changes:** | | |
|---|---|---|
| **Section** | **Changed item** | **Comments** |
| 2 | Signal word (GHS US) | **Removed** |
| 2 | Hazard statements (GHS US) | **Removed** |
| 2.1 | GHS-US classification | **Modified** |

Safety Data Sheet (SDS), USA

The information contained herein is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It should not therefore be construed as guaranteeing specific properties.

DCL pigment, pigment preparations and special dyes are technical grade products. Unless otherwise stated or agreed DCL products are recommended only for industrial use in applications involving coloration of inks, plastics and coatings. Other intended uses including their use in consumer products governed by specific legislation or standards should be referred to the manufacturer. The use of this product is not authorized for the direct coloration of food, the coloration of articles that come into contact with internal organs or body fluids, tattoo inks, nor for cosmetic use. The customer must perform its own tests to determine the suitability of the supplied product for the intended purpose. It is also the customer's responsibility to ensure that its intended uses shall be fully in compliance with all applicable laws and regulations in each relevant country or region. The data contained in the SDS apply only to DCL products sold under the stated trade names.