# DCL-410 CARBON BLACK, PBK.7

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)
Issue date: 12/19/2018 Revision date: 3/20/2026 Supersedes: 1/15/2026 Version: 1.3

## SECTION 1 Identification

### 1.1. Product identifier

| | | |
|---|---|---|
| Product form | : | Substance |
| Trade name | : | DCL-410 CARBON BLACK, PBK.7 |
| CAS-No. | : | 1333-86-4 |
| Product code | : | 200176, 200177 |

### 1.2. Other means of identification

| | | |
|---|---|---|
| Synonyms | : | Carbon black |
| Other means of identification | : | 410 CARBON BLACK |
| EC-No. | : | 215-609-9 |

### 1.3. Recommended use of the chemical and restrictions on use

| | | |
|---|---|---|
| Use of the substance/mixture | : | Pigment,Coloring agents |

### 1.4. Supplier's details

**Supplier**
DCL Corporation (Pigments Services Inc)
1506 Bushy Park Road
Goose Creek, South Carolina
USA, 29445
T +1 416 791-4200
SDS@pigments.com - pigments.com

### 1.5. Emergency phone number

| | | |
|---|---|---|
| Emergency number | : | +1 800 424-9300; +1-703-527-3887 (CHEMTREC, CCN12891) 24 hours, 7 days a week |

## SECTION 2 Hazard Identification

### 2.1. Classification of the substance or mixture

**GHS US classification**

Not classified

### 2.2. Label elements

**GHS US labeling**

No labeling applicable

### 2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

### 2.4. Hazards not otherwise classified

No additional information available

### 2.5. Unknown acute toxicity

No additional information available

## SECTION 3 Composition/information on ingredients

### 3.1. Substances

Name : DCL-410 CARBON BLACK, PBK.7
CAS-No. : 1333-86-4

| Name | Product identifier | % | GHS US classification |
|---|---|---|---|
| Carbon black | CAS-No.: 1333-86-4 | 100 | Not classified |

Full text of hazard classes and H-statements : see section 16

### 3.2. Mixtures

Not applicable

## SECTION 4 First aid measures

### 4.1. Description of necessary first-aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center/doctor/physician if you feel unwell.

Personal protection for first-aid responders. : First aid workers will be equipped with suitable personal protective equipment.

### 4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure. Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : None under normal conditions. Dust may cause irritation in skin folds or by contact in combination with tight clothing.

Symptoms/effects after eye contact : None under normal conditions. Dust from this product may cause eye irritation.

Symptoms/effects after ingestion : None under normal conditions.

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

Unsuitable extinguishing media : Carbon dioxide (CO2).

### 5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard. Minimize generation of dust which may be combustible.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6 Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage. Stop leak if safe to do so.

**For non-emergency personnel**

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Evacuate area. Only qualified personnel equipped with suitable protective equipment may intervene. Notify fire brigade and environmental authorities.

**For emergency responders**

Protective equipment : Do not attempt to take action without suitable protective equipment. Wear recommended personal protective equipment. Self-contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

Environmental precautions : Avoid release to the environment.

### 6.2. Methods and materials for containment and cleaning up

For containment : Stop leak, if possible without risk.

Methods for cleaning up : Take up mechanically (preferable by vacuum cleaning or gentle sweeping).

Other information : Dispose of materials or solid residues at an authorized site.

For further information refer to section 13.

## SECTION 7 Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Handle and open container with care. Keep away from sources of ignition - No smoking. Handling this product may result in electrostatic accumulation. Use proper grounding procedures. Avoid dust formation. Keep only in original container. Do not handle until all safety precautions have been read and understood.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Additional hazards when processed : Local exhaust and general ventilation must be adequate to meet exposure standards.

### 7.2. Conditions for safe storage, including incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Keep cool. Protect from sunlight.

Specific end uses : Restricted to professional users.

Packaging materials : Always store product in container of same material as original container.

## SECTION 8 Exposure controls/personal protection

### 8.1. Control parameters

| DCL-410 CARBON BLACK, PBK.7 (1333-86-4) | |
|---|---|
| **USA - OSHA - Occupational Exposure Limits** | |
| Remark (OSHA) | Nuisance Dust |

| Carbon black (1333-86-4) | |
|---|---|
| **USA - ACGIH® - Threshold Limit Values** | |
| Local name | Carbon black |
| ACGIH® TLV® TWA | 3 mg/m³ (Inhalable fraction) |
| Remark (ACGIH®) | TLV® Basis: Bronchitis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans) |
| Regulatory reference | ACGIH 2022 |
| **USA - OSHA - Occupational Exposure Limits** | |
| Local name | Carbon black |
| OSHA PEL TWA | 3.5 mg/m³ |
| Regulatory reference (US-OSHA) | OSHA Annotated Table Z-1 |

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Measure concentrations regularly, and at the time of any change occurring in conditions likely to have consequences on workers exposure. Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures, such as personal protective equipment

**Hand protection:**

| Type | Material | Permeation | Thickness (mm) | Penetration |
|---|---|---|---|---|
| Protective gloves | Nitrile rubber (NBR) | 6 (> 480 minutes) | >0.35mm | |
| Wear suitable gloves resistant to chemical penetration | | | | |

**Eye protection:**

Chemical goggles or safety glasses

| Type | Field of application | Characteristics |
|---|---|---|
| Safety glasses | Dust | With side shields |

**Skin and body protection:**

Wear suitable protective clothing

| Type |
|---|
| Plastic apron or overall |

| **Respiratory protection:** | | |
|---|---|---|
| In case of insufficient ventilation, wear suitable respiratory equipment | | |
| **Device** | **Filter type** | **Condition** |
| Dust mask | Type P3, Particle filter | Dust protection |

**Personal protective equipment symbol(s):**



## SECTION 9 Physical and chemical properties

### 9.1. Basic physical and chemical properties

| | | |
|---|---|---|
| Physical state | : | Solid |
| Appearance | : | Powder. |
| Color | : | Black |
| Odor | : | Odourless |
| Odor threshold | : | Not applicable<br>Not applicable |
| pH | : | 7 (≤ 9) (20°C) |
| Melting point | : | Not applicable |
| Freezing point | : | Not applicable |
| Boiling point | : | Not applicable |
| Flash point | : | Not applicable |
| Relative evaporation rate (butyl acetate=1) | : | Not applicable |
| Relative evaporation rate (ether=1) | : | Not applicable |
| Flammability (solid, gas) | : | Not applicable<br>Not flammable. |
| Vapor pressure | : | Not applicable |
| Vapor pressure at 50°C | : | Not applicable |
| Relative vapor density at 20°C | : | Not applicable |
| Relative density | : | No data available |
| Relative gas density | : | Not applicable |
| Solubility | : | Insoluble. |
| Partition coefficient n-octanol/water (Log Pow) | : | No data available |
| Auto-ignition temperature | : | Not applicable |
| Decomposition temperature | : | > 300 °C |
| Viscosity, kinematic | : | Not applicable |
| Viscosity, dynamic | : | Not applicable |
| Explosion limits | : | Not applicable<br>Not explosive |
| Explosive properties | : | Not explosive. |
| Oxidizing properties | : | Not applicable. |
| Particle characteristics | : | No data available |

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## SECTION 10 Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11 Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| DCL-410 CARBON BLACK, PBK.7 (1333-86-4) | |
|---|---|
| LD50 oral rat | > 8000 kilogram |

| Carbon black (1333-86-4) | |
|---|---|
| LD50 oral rat | > 10000 mg/kg (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 28 day(s)) |
| LD50 dermal rabbit | > 2000 mg/kg body weight Animal: rabbit, Guideline: other:, Guideline: other:, Guideline: other:, Guideline: other: |
| LC50 Inhalation - Rat | > 4.6 mg/m³ |

Skin corrosion/irritation : Not classified
pH: 7 (≤ 9) (20°C)

| Carbon black (1333-86-4) | |
|---|---|
| pH | 4 – 10 (5 %, 20 °C) |

Serious eye damage/irritation : Not classified
pH: 7 (≤ 9) (20°C)

| Carbon black (1333-86-4) | |
|---|---|
| pH | 4 – 10 (5 %, 20 °C) |

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified

Carcinogenicity : This product contains carbon black, which has been determined to be possibly carcinogenic to humans (Group 2B) by IARC.
This conclusion is based on animal studies, however, lung tumors observed in rats are considered to be related to "lung overload" rather than a specific chemical effect of carbon black itself in the lung. These effects in rats have been reported in many studies on other poorly soluble inorganic particles and appear to be rat specific (ILSI, 2000).
Several epidemiological and clinical studies of workers in the carbon black production industries show no evidence of clinically significant adverse health effects due to occupational exposure to carbon black.

| DCL-410 CARBON BLACK, PBK.7 (1333-86-4) | |
|---|---|
| IARC group | 2B - Possibly carcinogenic to humans |

| Carbon black (1333-86-4) | |
|---|---|
| IARC group | 2B - Possibly carcinogenic to humans |

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

| DCL-410 CARBON BLACK, PBK.7 (1333-86-4) | |
|---|---|
| NOAEC (inhalation,rat,dust/mist/fume,90 days) | 1 mg/m³ air Target organ: lungs<br>Effects: inflammation, hyperplasia, fibrosis. |

| Carbon black (1333-86-4) | |
|---|---|
| LOAEC (inhalation, rat, dust/mist/fume, 90 days) | 0.0071 mg/l air Animal: rat, Animal sex: male |
| NOAEL (oral,rat,90 days) | > 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| NOAEC (inhalation,rat,dust/mist/fume,90 days) | 0.0011 mg/l air Animal: rat, Animal sex: male |

Aspiration hazard : Not applicable

| DCL-410 CARBON BLACK, PBK.7 (1333-86-4) | |
|---|---|
| Viscosity, kinematic | Not applicable |

| Carbon black (1333-86-4) | |
|---|---|
| Viscosity, kinematic | Not applicable (solid) |

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure. Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : None under normal conditions. Dust may cause irritation in skin folds or by contact in combination with tight clothing.

Symptoms/effects after eye contact : None under normal conditions. Dust from this product may cause eye irritation.

Symptoms/effects after ingestion : None under normal conditions.

## SECTION 12 Ecological information

### 12.1. Ecotoxicity

Hazardous to the aquatic environment, short–term (acute) : Not classified

Hazardous to the aquatic environment, long–term (chronic) : Not classified

| DCL-410 CARBON BLACK, PBK.7 (1333-86-4) | |
|---|---|
| ErC50 algae | > 10000 mg/l Scenedesmus subspicatus 72h (OECD 201) |

| Carbon black (1333-86-4) | |
|---|---|
| LC50 - Fish [1] | > 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, Lethal) |
| EC50 - Crustacea [1] | > 1000 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | > 10000 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| EC50 72h - Algae [2] | > 10000 mg/l Test organisms (species): |
| ErC50 algae | > 10000 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration) |

### 12.2. Persistence and degradability

| DCL-410 CARBON BLACK, PBK.7 (1333-86-4) | |
|---|---|
| Persistence and degradability | Not rapidly degradable |

| Carbon black (1333-86-4) | |
|---|---|
| Persistence and degradability | Biodegradability in soil: not applicable, Biodegradability: not applicable. |
| Chemical oxygen demand (COD) | Not applicable (inorganic) |
| ThOD | Not applicable (inorganic) |

### 12.3. Bioaccumulative potential

| Carbon black (1333-86-4) | |
|---|---|
| Bioaccumulative potential | Not bioaccumulative. |

### 12.4. Mobility in soil

| Carbon black (1333-86-4) | |
|---|---|
| Surface tension | Not applicable (solid) |
| Ecology - soil | No (test)data on mobility of the substance available. Not toxic to plants. Not toxic to animals. |

### 12.5. Other adverse effects

Ozone : Not classified

Fluorinated greenhouse gases : No

## SECTION 13 Disposal considerations

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector’s sorting instructions.

Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

Additional information : Do not re-use empty containers.

## SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

## 14.1. UN number

| | | |
|---|---|---|
| UN-No. (DOT) | : | Not applicable |
| UN-No. (TDG) | : | Not applicable |
| UN-No. (IMDG) | : | Not applicable |
| UN-No. (IATA) | : | Not applicable |

## 14.2. UN Proper Shipping Name

| | | |
|---|---|---|
| Proper Shipping Name (DOT) | : | Not applicable |
| Proper Shipping Name (TDG) | : | Not applicable |
| Proper Shipping Name (IMDG) | : | Not applicable |
| Proper Shipping Name (IATA) | : | Not applicable |

## 14.3. Transport hazard class(es)

**DOT**

Transport hazard class(es) (DOT) : Not applicable

**TDG**

Transport hazard class(es) (TDG) : Not applicable

**IMDG**

Transport hazard class(es) (IMDG) : Not applicable

**IATA**

Transport hazard class(es) (IATA) : Not applicable

## 14.4. Packing group

| | | |
|---|---|---|
| Packing group (DOT) | : | Not applicable |
| Packing group (TDG) | : | Not applicable |
| Packing group (IMDG) | : | Not applicable |
| Packing group (IATA) | : | Not applicable |

## 14.5. Environmental hazards

Other information : No supplementary information available.

## 14.6. Transport in bulk

Not applicable

## 14.7. Special precautions for user

**DOT**

Not applicable

**TDG**

Not applicable

**IMDG**

Not applicable

**IATA**

Not applicable

## SECTION 15 Regulatory information

### 15.1. Federal regulations

| DCL-410 CARBON BLACK, PBK.7 (1333-86-4) | |
|---|---|
| SARA Section 311/312 Hazard Classes | Non hazardous. |

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

### 15.2. International regulations

**CANADA**

| DCL-410 CARBON BLACK, PBK.7 (1333-86-4) |
|---|
| Listed on the Canadian DSL (Domestic Substances List) |

| Carbon black (1333-86-4) |
|---|
| Listed on the Canadian DSL (Domestic Substances List) |

**EU-Regulations**

| DCL-410 CARBON BLACK, PBK.7 (1333-86-4) |
|---|
| Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) |

| Carbon black (1333-86-4) |
|---|
| Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) |

**National regulations**

| DCL-410 CARBON BLACK, PBK.7 (1333-86-4) |
|---|
| Listed on INSQ (Mexican National Inventory of Chemical Substances)<br>Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)<br>Listed on KECL/KECI (Korean Existing Chemicals Inventory)<br>Listed on NZIoC (New Zealand Inventory of Chemicals)<br>Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)<br>Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) |

| Carbon black (1333-86-4) |
|---|
| Listed on IARC (International Agency for Research on Cancer)<br>Listed on INSQ (Mexican National Inventory of Chemical Substances)<br>Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)<br>Listed on KECL/KECI (Korean Existing Chemicals Inventory)<br>Listed on NZIoC (New Zealand Inventory of Chemicals)<br>Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)<br>Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) |

### 15.3. State regulations

| DCL-410 CARBON BLACK, PBK.7 (1333-86-4) | |
|---|---|
| U.S. - California - Proposition 65 - Carcinogens List | Yes |

| DCL-410 CARBON BLACK, PBK.7 (1333-86-4) | |
|---|---|
| U.S. - California - Proposition 65 - Developmental Toxicity | No |
| U.S. - California - Proposition 65 - Reproductive Toxicity - Female | No |
| U.S. - California - Proposition 65 - Reproductive Toxicity - Male | No |
| State or local regulations | U.S. - New Jersey - Right to Know Hazardous Substance List<br>U.S. - Pennsylvania - RTK (Right to Know) List |

**WARNING:** This product can expose you to Carbon black (airborne, unbound particles of respirable size), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

| Component | State or local regulations |
|---|---|
| Carbon black(1333-86-4) | U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List |

## SECTION 16 Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

Revision date : 3/20/2026

Issue date : 12/19/2018

Training advice : Users of breathing apparatus must be trained.

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.




Hazard Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

| Indication of changes: | | |
|---|---|---|
| **Section** | **Changed item** | **Comments** |
| 2 | Signal word (GHS US) | **Removed** |
| 2 | Hazard statements (GHS US) | **Removed** |
| 2.1 | GHS-US classification | **Removed** |

Safety Data Sheet (SDS), USA

The information contained herein is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It should not therefore be construed as guaranteeing specific properties.

DCL pigment, pigment preparations and special dyes are technical grade products. Unless otherwise stated or agreed DCL products are recommended only for industrial use in applications involving coloration of inks, plastics and coatings. Other intended uses including their use in consumer products governed by specific legislation or standards should be referred to the manufacturer. The use of this product is not authorized for the direct coloration of food, the coloration of articles that come into contact with internal organs or body fluids, tattoo inks, nor for cosmetic use. The customer must perform its own tests to determine the suitability of the supplied product for the intended purpose. It is also the customer's responsibility to ensure that its intended uses shall be fully in compliance with all applicable laws and regulations in each relevant country or region. The data contained in the SDS apply only to DCL products sold under the stated trade names.