



Pigments for Coatings

See The Difference We Make

7336

Benzimidazolone Orange 36
Pigment Orange 36

Red shade orange

Used for high-end
coatings applications

Outstanding durability

Heavy metal and Diarylide free

Excellent alternative for
Molybdate Orange pigments




Applications

- Architectural Water & Universal ●
- Architectural Solvent ●
- Industrial Fast Air Drying ●
- Industrial Oven Cured ●
- Coil Coatings ○
- Automotive Coatings ●
- Powder Coatings ●

RECOMMENDATIONS: ● Frequently Used ○ Limited Use ○ Not Normally Used

ISO 9001
ISO 14001

pigments.com
sales@pigments.com



7336

Benzimidazolone Orange 36 Pigment Orange 36

CHEMICAL CLASS
BENZIMIDAZOLONE
C.A.S. # 12236-62-3
CONSTITUTION NO. 11780

7336 is a red shade orange 36 pigment with excellent hiding power. It can be universally incorporated into both high-end water and solvent based coating systems.

Regulatory

7336 is in compliance with the Code of Federal Regulations in USA, Canada, China, Europe, Japan, Philippines, Australia, New Zealand, and South Korea.

Key Benefits

- Excellent dispersion characteristics and rheological properties with enhanced storage stability.
- Highly chromatic with excellent gloss retention.
- Very good weatherfastness, heat stability and chemical resistance compared to the majority of organic orange pigments.
- 7336 is an excellent alternative to Molybdate orange pigments.



RESISTANCE PROPERTIES

Ethyl Acetate	5
MEK	5
Wax	5
Water	5
Ethyl Alcohol	5
Mineral Spirits	5
Xylene	5
Acid Resistance	4-5
Alkali Resistance	5

LEGEND:

1 - Poor 2 - Fair 3 - Good 4 - Very Good 5 - Excellent

PRODUCT CHARACTERISTICS

Weatherfastness	
Masstone	5
Tint	4
Physical Properties	
Specific Gravity	1.60g/cm ³
Oil Absorption	35g/100g
Heat Resistance	200°C

WEATHERFASTNESS:

1 - Severe Change In Shade 5 - No Change In Shade

For more information on 7336, please contact sales@pigments.com or request a free sample online.



See The Difference We Make

ISO 9001
ISO 14001

www.pigments.com
sales@pigments.com



03/20

© 2020 DCL Corporation. The information in this handout is based on extensive testing and application experience and is believed to be a reliable indication of the results that may be expected. However, the data does not constitute a specification for the products, and is offered only as a guide to performance without guarantee or warranty of any kind. Because of the difficulties of modern color reproduction, the shades may vary slightly from the final color application. Since many variables have a strong influence on pigment performance, the users are encouraged to test each product in their own laboratory prior to use. All rights reserved.

All statements valid at time of printing. The DCL logo is a trademark of DCL Corporation.